


Canvassing brief — OR · 241 homes · outages since 2026-05-29 · sample preview

One section per canvassing zone — map first, then door cards in walking order. Addresses are clickable.

Zone 1 — 55 homes · Portland 97206



1 P.

•• S••••• •• A•••••, Portland 97206

Outage cause: animal
 May 29 · 05:56-09:31 · 3.6h
 Portland General Electric

\$162k · built 1908 · 1,494 sqft · 0.09 ac · owned since 2018

2 I. E•••••

•• S••••• •• A•••••, Portland 97206

Outage cause: animal
 May 29 · 05:56-09:31 · 3.6h
 Portland General Electric

\$139k · built 1948 · 875 sqft · 0.13 ac

3 L. M..... & L..... G.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$170k · built 1976 · 960 sqft · 0.11 ac

4 A. & P..... C.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$159k · built 1908 · 1,152 sqft · 0.11 ac · owned since 2008

5 M.

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$283k · built 2023 · 1,730 sqft

6 M. & M.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$207k · built 2010 · 1,248 sqft · 0.11 ac · owned since 2021

7 P. & P.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$215k · built 1923 · 1,499 sqft · 0.19 ac · owned since 2019

8 W.

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$254k · built 2019 · 568 sqft · 0.11 ac

9 C. & C.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$207k · built 2010 · 1,248 sqft · 0.11 ac · owned since 2010

10 G. F..... & B..... Y.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$308k · built 2015 · 1,999 sqft · 0.05 ac · owned since 2015

11 D. & O.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$153k · built 1908 · 1,390 sqft · 0.11 ac · owned since 2014

12 C.

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$307k · built 2015 · 1,999 sqft · 0.05 ac

13 E. B..... & H..... A.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$166k · built 1952 · 1,278 sqft · 0.11 ac

14 R. R..... & R..... R.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$114k · built 1912 · 1,204 sqft · 0.09 ac

15 C. & C.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$203k · built 1913 · 1,879 sqft · 0.09 ac · owned since 2023

16 M. W..... & F.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric
\$203k · built 1956 · 1,554 sqft · 0.19 ac · owned since 2026

17 F. C..... & E..... M.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$185k · built 1912 · 1,632 sqft · 0.23 ac · owned since 2023

18 R. J.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$201k · built 1916 · 1,488 sqft · 0.11 ac · owned since 2006

19 Z. & Z..... L.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$186k · built 1907 · 1,452 sqft · 0.14 ac

20 P. K..... & V..... C.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$272k · built 2021 · 891 sqft · 0.17 ac · owned since 2022

21 B. E..... & S.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$245k · built 2000 · 1,596 sqft · 0.11 ac · owned since 2007

22 Z. Q..... & M..... F.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$223k · built 1930 · 1,514 sqft · 0.14 ac · owned since 2025

23 C. M..... & C..... S.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$221k · built 1894 · 1,405 sqft · 0.11 ac · owned since 2018

24 H. O..... & M..... K.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$189k · built 1980 · 1,008 sqft · 0.12 ac · owned since 2017

25 A. J..... & A..... H.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$145k · built 1954 · 1,024 sqft · 0.17 ac

26 E. E.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$155k · built 1907 · 1,086 sqft · 0.11 ac · owned since 2022

27 R.

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$230k · built 1912 · 1,624 sqft · 0.13 ac

28 L. H..... & V..... X.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$181k · built 1972 · 1,440 sqft · 0.11 ac · owned since 1993

29 W. J..... & W.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$201k · built 2017 · 600 sqft · 0.11 ac · owned since 2021

30 E. B.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$163k · built 1929 · 741 sqft · 0.15 ac

31 D. A..... & D..... D.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$184k · built 1980 · 960 sqft · 0.12 ac · owned since 1993

32 J. A..... E..... A.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$267k · built 1954 · 1,788 sqft · 0.19 ac · owned since 2015

33 E. A..... & G..... C.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$175k · built 1973 · 960 sqft · 0.11 ac · owned since 2018

34 K. H..... & K..... L.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$229k · built 1960 · 1,532 sqft · 0.19 ac

35 F.

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$197k · built 1950 · 1,235 sqft · 0.19 ac · owned since 2021

36 K. L.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$188k · built 1908 · 1,414 sqft · 0.11 ac · owned since 2017

37 H. & R.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$205k · built 1959 · 1,253 sqft · 0.14 ac · owned since 2021

38 L. C.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$134k · built 1962 · 884 sqft · 0.11 ac · owned since 2006

39 T. & T.....

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$235k · built 1930 · 1,840 sqft · 0.11 ac

40 R.

[S..... A....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$351k · built 2015 · 2,550 sqft · 0.14 ac · owned since 2014

41 L. H..... I.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$171k · built 1952 · 1,074 sqft · 0.16 ac · owned since 2013

42 H. & H.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$171k · built 1954 · 904 sqft · 0.16 ac · owned since 2020

43 D. A..... W..... & B..... V.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$275k · built 2004 · 1,832 sqft · 0.09 ac · owned since 2020

44 N. M..... & S..... E.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$151k · built 1929 · 748 sqft · 0.15 ac

45 B. M..... F..... &..... J.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$203k · built 1929 · 1,219 sqft · 0.14 ac · owned since 2022

46 S.

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$116k · built 1909 · 813 sqft · 0.04 ac · owned since 2017

47 M. V..... & M..... F.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$162k · built 1929 · 940 sqft · 0.11 ac · owned since 2015

48 S. & S.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$207k · built 1950 · 1,770 sqft · 0.12 ac · owned since 2005

49 H. & H.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$154k · built 1920 · 984 sqft · 0.09 ac · owned since 2006

50 C. R.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$107k · built 1950 · 720 sqft · 0.20 ac

51 M. E.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$201k · built 1913 · 1,398 sqft · 0.09 ac · owned since 2015

52 B. M..... P..... & H..... R..... H.....

[S..... H..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$238k · built 2006 · 1,488 sqft · 0.07 ac · owned since 2020

53 F.

[S..... R..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$219k · built 1952 · 1,252 sqft · 0.11 ac · owned since 2024

54 O. & O.....

[S..... R..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$234k · built 2002 · 1,532 sqft · 0.10 ac · owned since 2001


55 M. & H.....

[S..... R..... S....., Portland 97206](#)

Outage cause: animal
May 29 · 05:56-09:31 · 3.6h
Portland General Electric

\$284k · built 2013 · 2,028 sqft · 0.07 ac · owned since 2026

Zone 2 — 23 homes · Portland 97233



1 H. & P. E. A.

•• S. D. S., Portland 97236

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$127k · built 1951 · 774 sqft · 0.21 ac

2 R. J. L.

•• S. D. S., Portland 97236

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$130k · built 1965 · 1,336 sqft · 0.07 ac · owned since 2021

3 D. Y. & Z.

•• S. D. S., Portland 97236

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$199k · built 1990 · 900 sqft · 0.17 ac · owned since 2023

4 S. O. & S. F.

•• S. D. S., Portland 97236

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$166k · built 1948 · 1,286 sqft · 0.23 ac

5 G. & G

[S D S, Portland 97236](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$288k · built 1917 · 4,331 sqft · 0.21 ac · owned since 2016

6 D. C & C A

[S C C, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$107k · built 1946 · 964 sqft · 0.09 ac · owned since 2025

7 M. M & M

[S C C, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$193k · built 2011 · 1,703 sqft · 0.09 ac · owned since 2011

8 H. W & H T N

[S C C, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$188k · built 2012 · 1,440 sqft · 0.06 ac · owned since 2012

9 L. A

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$235k · built 1948 · 1,296 sqft · 0.50 ac · owned since 2017

10 K.

[S A, Portland 97236](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$257k · built 1978 · 1,650 sqft · 0.19 ac · owned since 2016

11 K.

[S A, Portland 97236](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$257k · built 1978 · 1,650 sqft · 0.19 ac · owned since 2016

12 H. M & H

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$286k · built 1961 · 1,936 sqft · 0.55 ac · owned since 2020

13 L.

[S A, Portland 97236](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$202k · built 1956 · 1,090 sqft · 0.18 ac · owned since 2011

14 M. & M L

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$186k · built 1982 · 988 sqft · 0.20 ac · owned since 2024

15 K. D & K

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$192k · built 1960 · 1,275 sqft · 0.17 ac

16 O. & O

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$254k · built 1900 · 1,256 sqft · 0.63 ac · owned since 2020

17 M. L

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$185k · built 1982 · 1,090 sqft · 0.15 ac · owned since 2006

18 R. & R E

[S A, Portland 97233](#)

Outage cause: equipment
Jun 3 · 16:05-22:54 · 6.8h
Portland General Electric

\$170k · built 1945 · 1,066 sqft · 0.14 ac

19 S. J..... & S..... L.....

[S..... A....., Portland 97236](#)

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$175k · built 1957 · 1,090 sqft · 0.16 ac · owned since 1997

20 A.

[S..... A....., Portland 97233](#)

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$205k · built 1957 · 1,209 sqft · 0.28 ac · owned since 2009

21 B. O.....

[S..... A....., Portland 97233](#)

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$195k · built 1982 · 1,060 sqft · 0.13 ac · owned since 2006

22 A.

[S..... A....., Portland 97233](#)

Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$185k · built 1982 · 1,000 sqft · 0.18 ac · owned since 2009

23 C. J..... & S.....

[S..... A....., Portland 97233](#)


Outage cause: equipment

Jun 3 · 16:05-22:54 · 6.8h

Portland General Electric

\$227k · built 1977 · 1,170 sqft · 0.34 ac · owned since 2024

Zone 3 — 23 homes · 97362



1 H. J..... B..... & H..... M..... A.....

•• T..... S....., 97362

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$869k · built 1900 · 3,824 sqft · 0.52 ac · owned since 2003

2 D. D..... D.....

•• T..... S....., 97362

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$487k · built 1927 · 2,489 sqft · 0.20 ac · owned since 2010

**3 D. J..... & K..... J..... W..... R..... & W.....
D..... J..... T..... & W..... J..... T.....**

•• S..... M..... A....., 97362

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$433k · built 1950 · 1,282 sqft · 0.19 ac · owned since 2006

4 W. R..... W..... J..... W..... R..... G..... A.....

•• S..... M..... A....., 97362

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$421k · built 1949 · 2,384 sqft · 0.31 ac · owned since 2020

5 B. J..... T.....

[S..... M..... A....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$377k · built 1949 · 1,293 sqft · 0.29 ac · owned since 2020

6 B. A..... <..... J..... M..... & M.....

[S..... M..... A....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$335k · built 1948 · 1,381 sqft · 0.20 ac · owned since 1990

7 B. N..... B..... S.....

[S..... M..... A....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$530k · built 1967 · 2,506 sqft · 0.21 ac · owned since 2024

8 B. R..... & B..... M.....

[S..... M..... A....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$402k · built 1969 · 1,945 sqft · 0.23 ac · owned since 1984

9 C. S..... L..... & C..... M..... L.....

[S..... M..... A....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$462k · built 1957 · 2,127 sqft · 0.22 ac · owned since 1996

10 M. T..... & M..... G.....

[S..... M..... A....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$459k · built 1954 · 1,672 sqft · 0.23 ac · owned since 2019

11 M. A..... P..... & T..... A..... L.....

[E..... C..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$267k · built 1936 · 3,000 sqft · 0.07 ac · owned since 1982

12 N. R..... K..... & N..... B..... J.....

[E..... C..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$448k · built 1926 · 1,524 sqft · 0.18 ac · owned since 2019

13 M. A..... V..... & M..... S..... M.....

[E..... C..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$639k · built 1908 · 5,078 sqft · 0.82 ac · owned since 1999

14 F. G..... M.....

[E..... C..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$432k · built 1976 · 1,582 sqft · 0.38 ac · owned since 2022

15 W. C..... J..... & W..... N.....

[E..... C..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$457k · built 1948 · 2,596 sqft · 0.31 ac · owned since 2016

16 H. R..... B..... & H..... J..... A.....

[E..... C..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$583k · built 1915 · 3,114 sqft · 0.44 ac · owned since 2005

17 L. T..... L..... S.....

[G..... L....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$420k · built 2001 · 1,311 sqft · 0.17 ac · owned since 2026

18 R. W..... J..... & R..... E.....

[L..... S....., 97362](#)

Outage cause: vehicle
May 29 · 23:52-08:01 (+1d) · 8.2h
Portland General Electric

\$364k · built 1925 · 945 sqft · 0.21 ac · owned since 2014

19 A. A..... J..... & A..... V.....

•• [L..... S....., 97362](#)

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$311k · built 1916 · 1,548 sqft · 0.13 ac · owned since 1990

20 M. F..... L.....

•• [L..... S....., 97362](#)

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$428k · built 1913 · 1,676 sqft · 0.25 ac · owned since 2007

21 D. S..... B.....

•• [L..... S....., 97362](#)

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$292k · built 1920 · 1,530 sqft · 0.16 ac · owned since 2001

22 K. P.....

•• [L..... S....., 97362](#)

Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$396k · built 1912 · 1,330 sqft · 0.12 ac · owned since 2022

23 E. J..... & E..... T..... S.....

•• [L..... S....., 97362](#)


Outage cause: vehicle

May 29 · 23:52-08:01 (+1d) · 8.2h

Portland General Electric

\$461k · built 2017 · 1,653 sqft · 0.15 ac · owned since 2016

Zone 4 — 19 homes · 97302



1 J. J..... J..... A.....
 ●● F..... S..... S....., 97302

Outage cause: animal
 May 29 · 06:19-08:00 · 1.7h
 Portland General Electric
 \$336k · built 1930 · 1,502 sqft · 0.21 ac · owned since 2024

2 H. K..... A.....
 ●● F..... S..... S....., 97302

Outage cause: animal
 May 29 · 06:19-08:00 · 1.7h
 Portland General Electric
 \$344k · built 1901 · 2,080 sqft · 0.12 ac · owned since 2017

3 J. J..... J..... A.....
 ●● F..... S..... S....., 97302

Outage cause: animal
 May 29 · 06:19-08:00 · 1.7h
 Portland General Electric
 \$336k · built 1930 · 1,502 sqft · 0.21 ac · owned since 2024

4 S. A..... H.....
 ●● O..... S..... S....., 97302

Outage cause: animal
 May 29 · 06:19-08:00 · 1.7h
 Portland General Electric
 \$220k · built 1930 · 640 sqft · 0.04 ac · owned since 2021

5 G. S..... G..... C.....

[O..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$241k · built 1930 · 688 sqft · 0.05 ac · owned since 2026

6 C. H..... A..... & W..... B.....

[O..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:20-08:01 · 1.7h
Portland General Electric

\$427k · built 1947 · 1,812 sqft · 0.11 ac · owned since 2018

7 V. P..... & S..... D.....

[L..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:20-08:01 · 1.7h
Portland General Electric

\$912k · built 2019 · 2,665 sqft · 0.17 ac · owned since 2017

8 J. J.....

[L..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:20-08:01 · 1.7h
Portland General Electric

\$566k · built 1917 · 2,402 sqft · 0.34 ac · owned since 2004

**9 M. E..... G..... L..... & L..... M..... G.....
L..... & G..... E..... T.....**

[L..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:20-08:01 · 1.7h
Portland General Electric

\$669k · built 1901 · 3,525 sqft · 0.26 ac · owned since 1998

10 A. R..... E..... U..... A..... E..... I.....

[L..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:20-08:01 · 1.7h
Portland General Electric

\$667k · built 1955 · 2,804 sqft · 0.25 ac · owned since 2023

11 K. C..... & W..... L.....

[L..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$975k · built 1928 · 3,529 sqft · 0.35 ac · owned since 2014

12 M. T..... R..... M..... P..... L.....

[J..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$765k · built 1952 · 3,407 sqft · 0.19 ac · owned since 2024

**13 J. M..... G..... L..... & G..... J..... M.....
T..... & G..... A..... T.....**

[J..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$834k · built 2000 · 3,490 sqft · 0.26 ac · owned since 1999

14 F. R.....

[J..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$516k · built 1928 · 2,099 sqft · 0.19 ac · owned since 2003

15 C. W..... & C..... B.....

[W..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$1.1M · built 1940 · 5,187 sqft · 0.36 ac · owned since 1996

16 E. K..... D..... L..... & D..... K..... T.....

[W..... S..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric

\$453k · built 1954 · 2,058 sqft · 0.20 ac · owned since 2009

17 B. L..... B..... J..... G..... C..... S..... M.....

[L..... P..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric
\$733k · built 1951 · 2,743 sqft · 0.24 ac · owned since 2020

18 J. M..... G..... L..... & G..... J..... M.....

T..... & G..... A..... T.....

[L..... P..... S....., 97302](#)


Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric
\$834k · built 2000 · 3,490 sqft · 0.26 ac · owned since 1999

**19 S. L..... & S..... W..... K..... T..... & S.....
M..... T.....**

[L..... P..... S....., 97302](#)

Outage cause: animal
May 29 · 06:19-08:00 · 1.7h
Portland General Electric
\$724k · built 1947 · 4,038 sqft · 0.35 ac · owned since 1986

Zone 5 — 17 homes · 97303



1 S. A..... A..... S..... Y..... R.....

•• [S..... H..... D..... N....., 97303](#)

Outage cause: equipment

Jun 4 · 22:55-02:13 (+1d) · 3.3h

Portland General Electric

\$446k · built 1987 · 1,502 sqft · 0.15 ac · owned since 2021

2 G. F..... G.....

•• [S..... H..... D..... N....., 97303](#)

Outage cause: equipment

Jun 4 · 22:55-02:13 (+1d) · 3.3h

Portland General Electric

\$586k · built 1992 · 2,266 sqft · 0.43 ac · owned since 2024

3 T. J..... D..... & T..... L..... A.....

•• [S..... H..... D..... N....., 97303](#)

Outage cause: equipment

Jun 4 · 22:55-02:13 (+1d) · 3.3h

Portland General Electric

\$547k · built 1992 · 2,032 sqft · 0.42 ac · owned since 1998

4 B. W..... H..... J..... & M..... M..... G.....

•• [N..... L..... N....., 97303](#)

Outage cause: equipment

Jun 4 · 22:55-02:13 (+1d) · 3.3h

Portland General Electric

\$523k · built 1997 · 1,902 sqft · 0.16 ac · owned since 2016

5 G. D..... W.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$523k · built 1997 · 1,904 sqft · 0.15 ac · owned since 2009

6 G. D..... O..... & G..... C..... A.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$579k · built 1997 · 1,902 sqft · 0.22 ac · owned since 1997

7 L. B..... S..... & L..... H..... D.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$451k · built 1997 · 1,494 sqft · 0.16 ac · owned since 1997

8 S. J..... & S..... L.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$478k · built 1997 · 1,546 sqft · 0.14 ac · owned since 2013

9 E. B..... A..... & L..... J..... D..... & L..... L.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$448k · built 1997 · 1,494 sqft · 0.17 ac · owned since 2000

10 K. P..... B..... & K..... P.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$488k · built 1997 · 1,546 sqft · 0.18 ac · owned since 1997

11 A. J..... A..... & C..... M.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$522k · built 1997 · 1,876 sqft · 0.14 ac · owned since 2018

12 B. W..... J.....

[H..... C..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$449k · built 1997 · 1,494 sqft · 0.18 ac · owned since 2002

13 H. S..... R..... & H..... I..... N.....

[J..... D..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$449k · built 1997 · 1,494 sqft · 0.18 ac · owned since 2016

14 M. J..... R.....

[J..... D..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$479k · built 1997 · 1,546 sqft · 0.14 ac · owned since 2005

15 M. P..... J..... M..... H..... W.....

[J..... D..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$453k · built 1997 · 1,522 sqft · 0.16 ac · owned since 2024

16 B. J..... & M..... C..... A.....

[J..... D..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$660k · built 1997 · 3,019 sqft · 0.14 ac · owned since 2019

17 V. L..... V..... H.....

[T..... L..... N....., 97303](#)

Outage cause: equipment
Jun 4 · 22:55-02:13 (+1d) · 3.3h
Portland General Electric

\$510k · built 1974 · 1,644 sqft · 0.25 ac · owned since 2022

Outside mapped zones — 104 homes

Portland General Electric — 61 homes

#	Name	Address	Cause	Outage span	Value	Built
1	S. A***** & S***** G*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$304k	1975
2	M. M***** A*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$306k	1975
3	R. J***** C***** & R***** E***** C*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$313k	1975
4	M. S***** & M***** D*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$309k	1975
5	M. J*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$312k	1975
6	A. G***** G***** & G***** A*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$303k	1975
7	M. J***** M*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$311k	1975
8	G. J***** T*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$317k	1975
9	R. J***** M***** & R***** S***** L***** M*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$319k	1975
10	J. A***** A***** M***** D***** L***** L*****	B***** S***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$421k	1961
11	F. S***** B***** T*****	C***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$391k	1956
12	B. B***** S*****	C***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$506k	1955
13	S. C***** J*****	C***** S***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$304k	1932
14	B. R***** L*****	K***** A***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$320k	1966
15	C. D***** & C***** D*****	M***** A***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$318k	2016
16	R. K***** C***** D***** R***** C*****	M***** A***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$406k	1978
17	H. D*****	M***** A***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$292k	1944
18	M. M***** F***** S***** D***** L*****	M***** A***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$433k	1937
19	S. D***** P***** & S***** L***** J***** W*****	N***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$384k	1957
20	B. G***** E***** J*****	N***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$368k	1958
21	C. A***** H***** R***** H***** C***** A*****	N***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$422k	1957
22	K. C***** & K***** C*****	N***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$425k	1957
23	S. W***** L***** & S***** J***** J***** & S***** M*****	N***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$437k	1957
24	K. R***** J*****	N***** D***** S*****, 97302	equipment	May 30 · 21:24-10:16 (+1d) · 12.9h	\$377k	1957

#	Name	Address	Cause	Outage span	Value	Built
25	C. J***** G*****	** N***** S***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$417k	1947
26	G. S*****	** N***** S***** V***** D*****, Newberg 97132	unknown	Jun 1 · 13:31-15:11 · 1.7h		
27	W. Z*****	** O***** S*****, Lake Oswego 97034	animal	Jun 3 · 05:53-07:45 · 1.9h		
28	A. Z***** & T***** D***** W*****	** S***** A***** D*****, Oregon City 97045	animal	Jun 4 · 09:05-15:03 · 6.0h		
29	C. S***** J*****	** S***** C***** A*****, Molalla 97038	equipment	Jun 3 · 19:22-02:28 (+1d) · 7.1h		
30	V. L***** L***** & V*****	** S***** C***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$377k	1977
31	N. L***** & N***** D***** M*****	** S***** C***** N*****, 97301	equipment	Jun 2 · 09:22-15:19 · 6.0h	\$363k	1977
32	R. T***** R*****	** S***** D*****, 97032	equipment	May 30 · 04:23-13:51 · 9.5h	\$406k	1973
33	T. T***** C*****	** S***** D*****, 97032	equipment	May 30 · 04:23-13:51 · 9.5h	\$511k	1973
34	R. L***** J***** W***** M***** C***** (*****	** S***** D*****, 97032	equipment	May 30 · 04:23-13:51 · 9.5h	\$373k	1973
35	R. P***** & R***** V*****	** S***** D*****, 97032	equipment	May 30 · 04:23-13:51 · 9.5h	\$321k	1973
36	T. S***** J***** & T***** C*****	** S***** D*****, 97032	equipment	May 30 · 04:23-13:51 · 9.5h	\$419k	1972
37	H. B***** R***** & H***** D*****	** S***** D*****, 97032	equipment	May 30 · 04:23-13:51 · 9.5h	\$327k	1973
38	H. K*****	** S***** F***** D*****, Wilsonville 97070	equipment	Jun 3 · 07:27-13:32 · 6.1h		
39	C. J***** D*****	** S***** F***** D*****, Wilsonville 97070	equipment	Jun 3 · 07:27-13:32 · 6.1h		
40	R. T***** & R***** B*****	** S***** F***** S*****, Portland 97202	equipment	Jun 4 · 08:57-12:04 · 3.1h	\$208k	1952
41	S. R***** & E*****	** S***** M***** B***** R*****, Wilsonville 97070	equipment	Jun 3 · 07:27-13:32 · 6.1h		
42	S. J***** M***** & S***** J*****	** S***** M***** B***** R*****, Wilsonville 97070	equipment	Jun 3 · 07:27-13:32 · 6.1h		
43	S. E***** S*****	** S***** S***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$313k	1936
44	D. M***** I***** R*****	** S***** S***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$456k	1923
45	R. A***** N*****	** S***** S***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$358k	1938
46	C. D***** & C***** D*****	** S***** S***** N*****, 97301	equipment	May 30 · 08:09-10:16 · 2.1h	\$318k	2016
47	G. A***** & G***** R*****	** S***** W***** C*****, Portland 97236	unknown	May 29 · 20:18-21:35 · 1.3h	\$212k	2013
48	J. M***** W*****	** S***** W***** R*****, Milwaukie 97267	equipment	Jun 2 · 23:42-08:55 (+1d) · 9.2h		
49	H. D*****	** S***** ** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$287k	1890
50	S.	** S***** ** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$138k	1944

#	Name	Address	Cause	Outage span	Value	Built
51	R. H*****	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$124k	1945
52	D.	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$128k	1910
53	Y. & F*****	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$128k	1955
54	C. D***** L*****	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$171k	1960
55	A. B*****	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$170k	1923
56	L. E*****	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$201k	2008
57	U. I*****	S***** A*****, Portland 97266	unknown	Jun 3 · 08:45-11:18 · 2.5h	\$189k	1910
58	F. & C*****	S***** A*****, Portland 97216	animal	Jun 1 · 17:26-19:52 · 2.4h	\$212k	2007
59	D. O*****	S***** A*****, Portland 97216	animal	Jun 1 · 17:26-19:52 · 2.4h	\$210k	2007
60	N.	S***** A*****, Portland 97216	animal	Jun 1 · 17:26-19:52 · 2.4h	\$181k	1939
61	M. T***** R***** M***** N*****	A***** N*****, 97305	unknown	May 30 · 17:25-20:13 · 2.8h	\$435k	1968

Pacific Power — 43 homes

#	Name	Address	Cause	Outage span	Value	Built
1	P. K***** E***** A*****	C***** S*****, Ashland 97520	vehicle	Jun 3 · 13:13-05:12 (+1d) · 16.0h	\$341k	2000
2	T. A***** M***** M*****	C***** S*****, Ashland 97520	vehicle	Jun 3 · 13:13-05:12 (+1d) · 16.0h	\$216k	2000
3	H. T***** Y***** C*****	C***** S*****, Ashland 97520	vehicle	Jun 3 · 13:13-05:12 (+1d) · 16.0h		2000
4	F. K***** P***** E***** A*****	C***** S*****, Ashland 97520	vehicle	Jun 3 · 13:13-05:12 (+1d) · 16.0h	\$292k	1999
5	B. H*****	H***** **, Seaside 97138	equipment	Jun 3 · 10:29-23:31 · 13.0h		1990
6	B. & E*****	N***** G***** A*****, Portland 97211	equipment	May 30 · 01:33-21:01 · 19.5h	\$107k	1923
7	J. & G*****	N***** G***** A*****, Portland 97211	equipment	May 30 · 01:33-21:01 · 19.5h	\$69k	1912
8	F. A*****	N***** G***** A*****, Portland 97211	equipment	May 30 · 01:33-21:01 · 19.5h	\$111k	1923
9	S. & S*****	N***** G***** A*****, Portland 97211	equipment	May 30 · 01:33-21:01 · 19.5h	\$68k	1924
10	B. S*****	N***** M***** A*****, Portland 97227	unknown	Jun 1 · 02:11-10:32 · 8.3h	\$78k	1929
11	C. F***** M*****	N***** P***** A*****, Corvallis 97330	vegetation	Jun 4 · 14:01-00:40 (+1d) · 10.7h		
12	N. M*****	N***** P***** A*****, Corvallis 97330	vegetation	Jun 4 · 14:01-00:40 (+1d) · 10.7h		
13	S. M***** & B*****	N***** P***** S*****, Portland 97213	equipment	Jun 3 · 23:10-09:40 (+1d) · 10.5h	\$143k	1921
14	J. M***** & J***** W*****	N***** P***** S*****, Portland 97213	equipment	Jun 3 · 23:10-09:40 (+1d) · 10.5h	\$163k	1928

#	Name	Address	Cause	Outage span	Value	Built
15	A. L*****	** N***** P***** S*****, Portland 97213	equipment	Jun 3 · 23:10-09:40 (+1d) · 10.5h	\$219k	1921
16	D. & D***** A*****	** N***** P***** S*****, Portland 97213	equipment	Jun 3 · 23:10-09:40 (+1d) · 10.5h	\$155k	1923
17	S.	** N***** P***** S*****, Portland 97213	equipment	Jun 3 · 23:10-09:40 (+1d) · 10.5h	\$232k	1921
18	Y. & Y*****	** N***** P***** S*****, Portland 97213	equipment	Jun 3 · 23:10-09:40 (+1d) · 10.5h	\$237k	1922
19	E. E***** & E***** L*****	** N***** ** A*****, Portland 97213	unknown	May 29 · 13:20-22:15 · 8.9h	\$159k	1950
20	G. P***** & N***** J***** G***** R***** T*****	** N***** ** S*****, Corvallis 97330	vegetation	Jun 4 · 14:01-00:40 (+1d) · 10.7h		
21	G. L***** H*****	** N***** ** S*****, Corvallis 97330	vegetation	Jun 4 · 14:01-00:40 (+1d) · 10.7h		
22	L. B***** R*****	** N***** ** S*****, Corvallis 97330	vegetation	Jun 4 · 14:01-00:40 (+1d) · 10.7h		
23	F. B***** B*****	** Q***** A***** S*****, Albany 97322	equipment	May 31 · 04:12-17:58 · 13.8h	\$289k	2000
24	B. J***** & R***** J*****	** S***** H***** A*****, Pendleton 97801	animal	Jun 4 · 13:35-23:15 · 9.7h		
25	L. S***** A*****	** S***** ** S*****, Corvallis 97333	unknown	Jun 3 · 00:24-09:11 · 8.8h		
26	S. M***** & K*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$912k	
27	S. R***** & D***** E*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$637k	
28	H. L***** L***** J***** & T***** E*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$685k	
29	W. M***** D***** & H***** B*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$641k	
30	D. G***** S***** & D*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$711k	
31	L. C***** R***** & L***** M*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$713k	
32	J. E***** M***** & S***** L*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$831k	
33	D. R***** M***** & K***** A*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$558k	
34	S. F***** M*****	** W***** C***** A*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$651k	
35	O. A***** M***** & J***** D*****	** W***** F***** D*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$743k	
36	R. K***** J*****	** W***** F***** D*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$907k	
37	Z. M*****	** W***** F***** D*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$462k	
38	P. M***** W***** & S*****	** W***** F***** D*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$582k	
39	D. J***** F***** & B***** J*****	** W***** F***** D*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$611k	
40	L. J***** A***** & M***** E*****	** W***** F***** D*****, Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$585k	

#	Name	Address	Cause	Outage span	Value	Built
41	R. J..... R..... & C..... T.....	.. W..... F..... D....., Winchester 97495	unknown	Jun 2 · 06:19-00:55 (+1d) · 18.6h	\$531k	
42	F. D..... W..... R..... A....., Seaside 97138	vehicle	Jun 2 · 12:43-02:41 (+1d) · 14.0h		1917
43	S. A..... A..... S....., Albany 97322	equipment	May 31 · 04:12-17:58 · 13.8h	\$384k	1965